


	<b>SEMA GARAGE</b> <b>CERTIFICATE OF COMPLIANCE</b> <b>WITH EPA TAMPERING POLICY OF 2020</b>		<b>SEMA GARAGE</b> <b>1577 VALLEY VISTA DR</b> <b>DIAMOND BAR, CA 91765</b>	

<b>Certificate Issued To:</b> Fleece Performance Engineering  <b>Certificate Number:</b> SC-FLC01-0033	<b>Effective Date:</b> 3/23/2023 <b>Revision Date:</b> N/A <b>Revision No.:</b> N/A	 <b>Peter Treydte</b> <b>Director of Emissions Compliance</b>
--	---	--

<b>Test Vehicle (Year, Make, Model): 2008 Dodge RAM 3500</b>			
<b>Test Group Name:</b>	8CEXK06.7UXW	<b>Exhaust Emissions Standards:</b>	LEV2 MDV / HDV2
<b>Evaporative/Refueling Family Name:</b>	N/A	<b>Evaporative/Refueling Standards:</b>	N/A
<b>Exhaust Emissions Test Fuel Type:</b>	Certification Diesel	<b>Engine Displacement:</b>	6.7L
<b>Product Category:</b> Other	<b>Product Name:</b> PowerFlo 1000 CP3, PowerFlo 750 CP3, and CP3K injection pump		
<b>Components Included with Device:</b> Fuel Pump			

Pursuant to the EPA tampering policy of 2020, and in accordance with 40 CFR Part 86, this certificate of compliance is hereby issued with respect to test vehicles which have been found to conform to the requirements of the regulations on Control of Air Pollution from New & In Use Motor Vehicles and which represent the motor vehicle models listed on this certificate by test group and evaporative/refueling emission family, more fully described in the application of the above named device manufacturer. Vehicles covered by this certificate have demonstrated compliance with the applicable emission standards as more fully described in the SEMA test report, with the named device installed in accordance with the manufacturer's installation instructions.

SEMA Certified is a voluntary program to independently test, evaluate, and verify the emissions performance of a manufacturer's product. SEMA/SEMA Garage warrants only the accuracy of the information and representations published herein. SEMA/SEMA Garage, EXCEPT AS OTHERWISE EXPRESSLY PROVIDED HEREIN, DISCLAIMS ALL OTHER WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, APPLICATION OF THE PROGRAM AND NON-INFRINGEMENT. SEMA/SEMA Garage further disclaims liability for any personal injury, property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the use of, or reliance on, SEMA Certified. SEMA Certified is not an agent of the U.S. Government, the EPA, or any other federal or state regulatory agency.

Issuance of this certificate is evidence that the specified device has been tested on a vehicle representative of the models listed, and the results have been determined to be in compliance with the applicable Federal standards. It is further stated that the issuance of this certificate is in part predicated on information provided and attested to by the applicant. If any of this information is later deemed to be false, inaccurate, misleading, or incomplete, this certificate is no longer valid.

Any party participating in the SEMA Certified should rely on their own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonableness in any given circumstances.

Users of SEMA Certified should be aware that these documents may be superseded at any time by the issuance of an update. SEMA/SEMA Garage reserve the sole, exclusive right to issue any interpretive statements related to SEMA Certified.

Use or reference to SEMA Certified, and any related intellectual property, must be complete and accurate. Any deletions, additions, misrepresentations about, or changes to this Certificate may, at the sole discretion of SEMA/SEMA Garage, void the Certification and impact the party's future ability to participate in the SEMA Program. Any violator of the foregoing agrees to indemnify and hold SEMA/SEMA Garage harmless as a condition of their participation in the SEMA Certified Program.

This certificate does not constitute an endorsement of any claims by the applicant concerning the benefits of this device.

Summary of Tests Performed																	
Test	Results (Cert   Standard   %)																
	NMHC			CO			PM			HCHO			NOx				
FTP	0.050	0.230	22%	0.3	7.3	4%	0.000	0.02	2%	0.001	0.04	3%	0.3	0.4	75%		

**Pertinent Information:** This device has 3 variations covered which has different fuel displacements for the injection pump.



## Applicable Models

SC-FLC01-0033

Device P/N	Make	Model	Eng. Disp.	Eng. Desc.	Fuel Type	Model Year	Test Group (Excluded)
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	2500	6.7L	Turbocharged	Diesel	2018	JCEXD06.78VV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	2500	6.7L	Turbocharged	Diesel	2017	HCEXD06.78VV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	2500	6.7L	Turbocharged	Diesel	2016	GCEXD06.78VV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	2500	6.7L	Turbocharged	Diesel	2015	FCEXD06.78VV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	2500	6.7L	Turbocharged	Diesel	2014	ECEXD06.78VV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	2500	6.7L	Turbocharged	Diesel	2013	DCEXD06.78VV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	3500	6.7L	Turbocharged	Diesel	2018	JCEXD06.78VV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	3500	6.7L	Turbocharged	Diesel	2018	JCEXD06.78WV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	3500	6.7L	Turbocharged	Diesel	2017	HCEXD06.78VV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	3500	6.7L	Turbocharged	Diesel	2017	HCEXD06.78WV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	3500	6.7L	Turbocharged	Diesel	2016	GCEXD06.78VV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	3500	6.7L	Turbocharged	Diesel	2016	GCEXD06.78WV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	3500	6.7L	Turbocharged	Diesel	2015	FCEXD06.78VV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	3500	6.7L	Turbocharged	Diesel	2015	FCEXD06.78WV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	3500	6.7L	Turbocharged	Diesel	2014	ECEXD06.78VV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	3500	6.7L	Turbocharged	Diesel	2014	ECEXD06.78WV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	3500	6.7L	Turbocharged	Diesel	2013	DCEXD06.78VV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	RAM	3500	6.7L	Turbocharged	Diesel	2013	DCEXD06.78WV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	DODGE	RAM 2500	6.7L	Turbocharged	Diesel	2012	CCEXD06.78VV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	DODGE	RAM 2500	6.7L	Turbocharged	Diesel	2011	BCEXD06.78VV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	DODGE	RAM 2500	6.7L	Turbocharged	Diesel	2010	ACEXD06.78VV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	DODGE	RAM 2500	6.7L	Turbocharged	Diesel	2009	9CEXD06.76VV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	DODGE	RAM 2500	6.7L	Turbocharged	Diesel	2008	8CEXK06.7TXW
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	DODGE	RAM 2500	6.7L	Turbocharged	Diesel	2007	7CEXK040838W
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	DODGE	RAM 3500	6.7L	Turbocharged	Diesel	2012	CCEXD06.78WV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	DODGE	RAM 3500	6.7L	Turbocharged	Diesel	2011	BCEXD06.78WV

FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	DODGE	RAM 3500	6.7L	Turbocharged	Diesel	2010	ACEXD06.78WW
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	DODGE	RAM 3500	6.7L	Turbocharged	Diesel	2009	9CEXD06.78WV
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	DODGE	RAM 3500	6.7L	Turbocharged	Diesel	2008	8CEXK06.7UXW
FPE-CUMM-CP3-12MM-6.7, FPE-CUMM-CP3-10MM-6.7, FPE-CUMM-CP3K-6.7	DODGE	RAM 3500	6.7L	Turbocharged	Diesel	2007	7CEXK040848W